## Native Illinois Plant Sale 2022

Apríl 23, 2022, 8:30 a.m. – 11:00 a.m.

The City of Wheaton, Wheaton Environmental Improvement Commission, and the Wheaton Park District encourages residents to plant native plants in future landscape projects. Native plants are adapted to the soils and climate of our area. These plant species provide habitat for a wide variety of native wildlife species, and at the same time provide an attractive, low maintenance landscape. Native plants are beneficial because they do not require irrigation or fertilizer, are resistant to drought and insects, will not harm or degrade native ecosystems, and are beautiful and interesting. Cash will NOT be accepted. Payment must be made by check or credit card.

At sale time, trees are approximately 36 to 48 inches, shrubs are approximately 24 to 36 inches, and are potted in containers. Forbs, grasses, and ferns are in containers. We are unable to provide any returns or guarantees on these plants. Plants not in this year's order have been shaded. Plants are subject to nursery availability at the time of sale. "Right to limit quantities before 9:30 a.m."

Trees 5 gallon \$25.00 Shrubs 5 Gallon \$25.00 Forbs, Grasses & Ferns 1 gallon \$10.00 Quarts and pints \$3.00

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Large Trees							
Black Tupelo Nyssa sylvatica	30-50′	20-30′	***		Glossy orange to red	*	Native in wet areas or dry, rocky uplands; horizontal branching; spring plant only; pyramidal to spreading; silvery bark; protect from west wind; slow to moderate growth
Eastern White Pine Pinus strobus	50-80′	20-40′	374		Evergreen	*	Prefers moist acidic soil; sensitive to high pH soil, salt and windy sites; blue- green needles; open airy crown; spreading form; Evergreen

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Hackberry Celtis occidentalis	40-60′	40-50′	**		Yellow	•	Best in rich, moist soils; pH adaptable; tolerant of drought, salt, and temporary wet sites; corky bark; broad oval to vase shaped form
Ohio buckeye Aesculus glabra	30-50′	20-30′	<b>**</b>	Yellow - green	Orange - red	*	First tree to leaf out in the spring. Very shade-tolerant tree. Prefers moist to mesic loamy soils. The fruit is 1" diameter "buckeye". Pollinated by ruby-throated hummingbirds. Not a good tree for compacted soils or street-side.
Red Oak <i>Quercus rubra</i>	60-75′	60-75′	萘謙		Orange/ Red	W	Relatively rapid growth in moist, well-drained soil; tolerant of some exposure to road salt and city conditions; rounded form
River Birch Betula nigra	40-70′	40-60′	柒濼		Yellow	<del>216</del>	Native along rivers and stream banks; develops chlorosis in high pH soil and drought conditions; rounded to spreading form
Sassafras Sassafras albidum	30-60′	25-40′	<b>柒</b> 鎌	Yellow	Yellow, orange, red	₩ <i>X</i>	Easy to grow in average moist well-drained soils. Moderately fast grower. Early spring bloomer. Excellent fall color. Mitten shaped fragrant leaves.
Shagbark Hickory Carya ovata	50-75′	40-50′	<b>柒</b> 鎌		Golden yellow	<del>25</del>	Distinctive, shaggy bark, conspicuous on tall straight trees; grows best in well-drained soils

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Sycamore platanus occidentalis	60-140′	50′	37.6	Green	Yellow to orange - brown	<b>★</b> 泰•	Prefers moist conditions but tolerates a wide range of soils. Grows rapidly. Sometimes needs to put out a second crop of leaves if spring is very wet and cool. Multi-colored bark and interesting seed heads.
Tulip tree Liriodendron tulipifera	70-100′	20-40′	<b>※</b>	Whitish - green with yellow inside	Golden-yellow	WA	Grows best in light shade in mesic, well-drained soils. Spectacular tulip shaped flowers about 2-3" long in May. Tulip shaped leaves. Pollinated by hummingbirds. Grows rapidly. A beautiful and majestic tree.
Small Trees							Avorage or meigh soils
Allegheny serviceberry Amelanchier laevis	15-30′	10-15′	柒濼	White and showy	Orange, red, yellow	WA	Average or moist soil; drought tolerant once established; juicy, edible berries in summer. Plant in lawns, open shrub borders.
American Hornbeam <i>Carpinus</i> <i>caroliniana</i>	25-35′	20-30′	<b>柒</b> 鎌業	Orange/ Yellow	Orange/Red Yellow		Best in rich, moist soil; mulch in full sun; winged nuts provide a good food source for wildlife; rounded form
American plum Prunus Americana	15-25′	15-25′	<b>柒</b> 赚	Bright white	Maroon - red	WA	White fragrant blooms very early in spring. Has a few thorns. Suckers freely so best used for naturalizing in medium moisture, loamy soils away from the house. Tolerates dryness after established. Edible fruits especially nice in preserves.

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Common Witchhazel <i>Hamamelis</i> <i>virginiana</i>	20-30′	15-20′	<b>柒業業</b>	Yellow	Yellow		Prefers moist, well-drained soil; drought sensitive; large shrub to small tree; flowers in Oct.; good for naturalizing, massing, and borders; rounded spreading habit
Ironwood <i>Ostrya virginiana</i>	20-40′	15-30′	<b>柒</b> 鎌業		Yellow	<b>※₩</b> ∤	Superb understory tree: leaves that persist through winter (wildlife habitat); fruit looks like hops
Pacific Serviceberry Amelanchier interior	30′	15′	<b>柒</b> 兼	White	Yellow/Orange/Red	<b>A</b>	Blooms May or early June; showy flowers; produces red/purple berries July- Aug & are edible. Tolerates clay soils; prefers moist, well- drained soils
Pagoda Dogwood Cornus alternifolia	15-25′	15-25′	<b>柒業</b>	White	Red	<b>W</b> A	Small deciduous tree or multi-stem shrub with distinctive horizontal branching; elliptical to egg-shaped medium green leaves; blooms in spring
Paw Paw Asimina triloba	15-20′	15-20′	<b>☆</b> 鎌	Purple	Bright Yellow	*	A large shrub or small tree; large tropical-like leaves; fruit in large yellow-green edible berry; round canopy shape; 2- inch flowers

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Redbud Cercis canadensis	15-20′	20-25′	*	Lavender/ Pink/ Purple	Yellow	WA 6	Prefers well-drained soil; pH adaptable; rose-purple flowers in spring; rounded habit
Shadblow Serviceberry Amelanchier canadensis	10-20′	10-20′	╧業	White	Orange/Red Yellow	WA	Prefers moist, well- drained soil; good for woodland edge/naturalizing; white flowers in April; red fruit turns purplish - black; good 4-season plant; an oval suckering tree
Shrubs  American Hazelnut  Corylus americana	6-8′	6-8′	<b>☆</b> 鎌	Bright Yellow	Orange - yellow	WA	Well-drained soil; pH adaptable; drought tolerant; long, catkins in early spring; colony forming shrub good for naturalizing; rounded habit
Black Chokeberry Aronia melanocarpa	3-5′	6-8'	<b>※**</b>	White	Red	WA	Very tolerant of wet soils; black fruits; purplish-red fall color; best used in mass; forms large suckering colonies; upright form
Blackhaw Viburnum Viburnum prunifolium	12-15′	8-12'	<b>☆</b> 鎌業	Creamy white	Pinkish - red to Purple	WA	Flowers in cluster' small purple fruit; avg. to dry soils; good with northern exposure

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Bladdernut Staphylea trifolia	6-12′	8-10′	<b>*</b>	White	Yellow	<b>♦</b> ₩	Prefers moist conditions in a fertile, loamy soil. Very few problems with disease or pests. Attractive flowers, seed capsules, and leaves. Flowers mid- to-late spring.
Blue-fruited Dogwood <i>Cornus obliqua</i>	7-9′		<b>柒谦</b> 兼	Yellowish - white	Red/Purple	WA	Beautiful spreading branches with dark green leaves on top and silky underneath
Buttonbush Cephalanthus occidentalis	6-12'	12-18′	<b>柒</b> 兼	Globe-like white		WA &	Fragrant flowers in June- September; requires moist to wet soil; sensitive to drought and deep shade; late emerging glossy green leaves; hard, 1" ball-like fruit persistent throughout winter; use in naturalized wet areas; upright and arching
Downy Arrowwood Viburnum rafinesquianum	8'	8′	<b>柒</b> 赚	White	Red	WA	Masses of flowers in mid- late April, with black fruits in summer; prefers moist to dry areas
Dwarf Bush Honeysuckle <i>Diervilla lonicera</i>	3-5′	3-5′	<b>柒谦</b> *	Yellow	Yellow-Orange-Red	WA	Well-drained, pH adaptable soil; drought tolerant; tolerates dry shade, flowers in July; excellent fall color; mounded and suckering habit
Elderberry Sambucus canadensis	6-12'	6-12'	<b>柒谦</b>	White	Greenish	WAB	Does best in moist soils, but tolerant of dry conditions; suckers freely forming thickets; white flower clusters in July; purple-black fruit is excellent food source for birds; upright and arching form

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Fragrant Sumac Rhus aromatica	2-6′	6-10′	<b>柒</b> 赚	Inconspicuous	Orange/ Red	WA	Prefers acidic; well-drained soil; tolerant of salt and dry conditions; fragrant foliage; small persistent wine-red berries attract birds; mounded and suckering
Highbush Cranberry <i>Viburnum trilobum</i>	8-12'	8-15′	柒濼	White	Purple/Red	<b>★</b> ₩	Grows in most any soil; clumps of scarlet berries that remain through spring
Indigo Bush Amorpha fruticosa	6-10′	4′	THE STATE OF THE S	Deep purple	Yellow	WAB	Does well in poor dry soil; flowers in May-June; prefers moist ground; can get leggy and suckering; fruit is a curved pod
Kalm's St. Johnswort <i>Hypericum</i> <i>kalmianum</i>	2-4'	3-4'	<i>*</i> **	Bright Yellow	Yellow - Green	WA	Found in dry, rocky soils; pH adaptable; flowers in July; blue-green foliage; persistent seed capsules valued by birds; rounded habitat
Maple-leaf Viburnum <i>Viburnum</i> <i>acerifolium</i>	3-6′	4-5'	***	White flat- topped in spring	Reddish/ Purple	WA	Understory shrub of well-drained to dry soils; maple-like foliage; blue-black fruit valued by wildlife; upright and spreading form
Meadowsweet Spiraea alba	3-6'	3-6′	紫	White	Golden	W46	Tolerant of many soil conditions, drought, and heat; found in wet areas; flower spikes in summer; dry seed capsules persist into winter; erect and suckering
Nannyberry Viburnum lentago	15′	6-12′	<b>柒</b> 業業	White	Orange - Red	WA	Upright, multi-stem, spreading shrub with springtime clusters of flat white flowers; blue-black berry-like fruits in fall

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
New Jersey Tea Ceanothus americanus	1-3'	3'	<b>柒谦</b>	Frothy small white clusters	Green	WAX	Dark green leaves; prefers dry to moist, well-drained soil; flowers in July; attracts butterflies and hummingbirds; slowgrowing shrub; good transition from prairie garden to lawn; while young, protect from rabbits
Ninebark Physocarpus opulifolius	5-7′	6-10′	**	White	Brown	WA	Heart-shaped leaves on long branches covered with loose bark; flowers in May-July
Pasture Rose Rosa Carolina	3-6′	5-10′	**	Pink	Yellow - orange to red	WAX	Tolerates wide range of soil moisture conditions, from wet-mesic to dry
Prairie/Illinois Rose Rosa setigera	3-4'	10-15′	37.6	Pink fading to White late in the season	Combination of Yellow-orange-red, then Scarlet	₩⋞₩%	Use in dry, open area; wide-spreading, green to red arching stems; solitary flowers; mounded and suckering habit
Red Chokeberry Aronia arbutifolia	6-10′	3-5′	<b>柒</b> 鎌	White	Wine Red	₩48※	Bright red fruits; tolerant of most soils; upright, multi-stemmed; spreading and suckering habit
Roughleaf Dogwood <i>Cornus</i> <i>drummondii</i>	15-25′	10-15′	<i>*</i> **	White, flat- topped	Purple - red	WAS	Does well in drought; white fruits showy from a distance but quickly eaten by wildlife
Snowberry Symphoricarpos albus	3-6′	3-6′	<b>**</b>	Small spikes of pink flowers		<b>★</b> ※	Tolerates wide range of soils under oak trees. Large white berries hand on during winter. Flowers in June and July. Tends to sucker. Use in shrub borders, as screen or hedge.

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Spicebush Lindera benzoin	6-12'	6-12′	*	Green/ Yellow	Orange/ Yellow	WA	Found in the understory in moist woodlands; does best in moist, well-drained loamy soils; fragrant foliage; rounded form
Swamp Rose Rosa palustris	5-6′	4-5'	****	Pink	Red - orange	₩ <b>々る</b> 辮	Handles poor drainage; blooms from June into July; numerous, bright scarlet rose hips; found along swamp edges; mounded and suckering
Wahoo <i>Euonymus</i> <i>atropurpureus</i>	12-20′	15-25′	柒濼	Dark purple	Red/Greenish red	64	Blooms in June; showy scarlet red berries appear in fall & attracts wildlife; showy fall color; medium moisture; well-drained soils; adaptable; rain garden plant
Wild Gooseberry Ribes missouriense	2-3′	2-3'	<b>柒</b> 赚₩	Hanging pale yellow	Red- purple	WA	Attractive, thorny, bushy shrub; fan-shaped leaves turn rich autumn hues; graceful flowers in spring; pea-sized, sweet black edible berries ripen in July
Wolfberry Coralberry Symphoricarpos orbiculatus	2-5′	4-8'	<b>柒</b> 赚	Pinkish/purplish - green		<b>★</b> ※	Attracts robins, adapts to moist to dry conditions, and a loamy to rocky soil. Attractive foliage and purplish-red berries in the fall. Good for naturalizing and winter interest.
Yellow Honeysuckle Vine <i>Lonicera prolifera</i>	4-5′	8-10'	<b>柒</b> 赚	Yellow tubes	Yellow	WA	Vigorous, low climbing vine or mounded shrub with blue-green leaves; in shade the plant rarely flowers; in full sun the twining vine is covered with blooms in May; fruits profusely with scarlet red berries in clusters
Prairie Grasse	es & Gras	s-like Pl	ants				

Sun Fart Sun Shade

✓ Attract Butterflies Attract Birds Rain Garden Winter Interest Cut Flowers Woodland GC Ground Cover

Ref: Tree Shrub Handbook, Morton Arboretum, 2002; Horticopia 1998

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Big Bluestem Andropogon gerardii	4-6′	1.5-3′	<b>柒谦</b>		Reddish-copper/ Bronze	<b>₩</b> ★ ※	Fine textured, slightly weeping, silvery-blue foliage until fall; purplish seed heads in Aug.; will tolerate hot, dry areas and heavy clay soils; best suited for background plantings; clump forming
Indian Grass Sorghastrum nutans	4-9'	2'	***	Feathery gold plumes	Shades of orange & yellow	₩A & ∰	Flowers in Aug-Sept; great native alternative to Miscanthus (Maidenhair grass); mound-forming; prefers medium soil moisture (neither wet nor overly dry)
Little Bluestem Schizachyrium scoparium (Andropogon scoparius)	2-4'	2-2.5′	柒濼	Fluffy silvery- white	Bronze to Orange	4樂全	Medium textured, highly ornamental clump-forming grass; bluish-green foliage until fall; fluffy, seed heads on spikes in July-Aug.; well-drained, medium, and dry soils; great for naturalizing and mass plantings; clump forming
Prairie Brome Bromus kalmii	2′	1-1.5′	<b>柒</b> 鎌		Light brown	WA	Silky light green color to foliage; seed heads arch sideways; prefers moist to slightly dry conditions
Prairie Dropseed Sporobolus heterolepsis	1-2'	2-3′	禁業	Airy white	Orange - red	<b>★</b> ※	Fountain-like tufts of fine- textured, emerald-green foliage until fall; flowers are held 2-3' above leaves in August; arching and clump forming
Prairie Switchgrass Panicum virgatum	3-6′	2-3′	34		Golden tan	インの楽を	Green or purplish tone, firm long smooth leaves; prefers dry to moist soils and shores with no shade

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Side Oats Grama Bouteloua curtipendula	1-2'	1-1.5′	The Thirt	Bright Purple/ Orange	Tan/Orange	WA	Graceful and beautiful prairie grass with medium textured foliage; delicate flower parts cluster along one side of the flower stem in June; drought tolerant; warm season grass
Sweet Grass / Vanilla Grass <i>Hierochloe odorata</i>	1-1.5′	1.5′	柒濼			<b>× GC</b>	Relatively unremarkable looking but foliage is highly aromatic when it is cut and dried; moist to dry soils preferred; deer resistant; can spread rapidly under the right conditions
Prairie Forbs							
Biennial Gaura Gaura biennis	2-5′	3-4'	<b>柒</b> 赚	White/ Pink		W	Biennial (short-lived) plant tolerant of wide variety of habitats; open airy form, flowers July-October
Black-eyed Susan Rudbeckia hirta	2-3′	2-2.5′	柒濼	Bright Yellow		₩妆鎏米	Showy petals around brown center in July- Sept.; long-blooming; tolerant of most soil conditions; short-lived perennial
Blue-eyed Susan Sisyrinchium angustifolium	8-10"		<b>柒</b> 赚	Small, Blue			Grass-like foliage accented by small flowers in May-June; good perennial for rock garden
Bottle Gentian Gentiana andrewsii	1-2'	1-1.5′	<b>柒</b> 赚	Bright Blue			Barrel shaped flowers with closed petals; flowering in Sept-early Oct.; moist soils
Brown-eyed Susan Rudbeckia triloba	2-4'	2-2.5′	<b>柒</b> 濼	Orange & Yellow		W40*X	Dark green leaves; blossoms from early Aug. to early Oct.; rough textured

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Butterfly Weed Asclepias tuberosa	2-3'	3'	<b>※</b> *	Vivid Orange - red		₩%	Fragrant clusters of flowers from June-Aug., followed by attractive seed heads; prefers well- drained, sandy soil; drought tolerant; late to emerge; creates deep tap root making transplanting difficult; breaks dormancy late
Common (Pale) Blue-eyed Grass Sisyrinchium albidum	0.5-1.5′	2-3'	紫	White			Leaves are grass-like, being flat, narrow, and long; prefers dry to moderate soils; flowers from May to June with six white, star-like petals ½ to ¾ inch wide
Common Ironweed Vernonia fasciculata	3-5′	2.5-4′	<b>柒</b> 兼	Bright Red - purple		₩⋞७骤≫	Showy flower spikes in July and August, held atop tough stems with wispy foliage; highly ornamental; moist soil
Common Milkweed Asclepias syriaca	2-5′	1'	37/6	Pink - Purple		₩#	1/2-inch flowers in 2-inch globe from June-August; milky sap; attracts butterflies; well-drained soil
Common Mountain Mint <i>Pycnanthemum</i> <i>virginianum</i>	1-2′	1-2'	柒濼	White		<b>*</b> •	Flat white flower clusters in July and August above fragrant foliage; a must for any herb garden
Compass Plant Silphium laciniatum	5-9′	3-4'	****	Yellow		₩4%	Deeply dissected leaf resembles giant oak leaf; slow to mature; deep- rooted; 4-inch yellow daisies on top of tall stalks; needs well-drained soils
Cream Wild Indigo Baptisia leucophaea	1-2'	1-3′	<b>**</b>	Creamy white		×	Showy, long clusters of flowers; low growing and compact plant; prefers well-drained soils

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Culver's Root Veronicastrum virginianum	4-5′	2-3'	<b>☆</b> 鎌	White candelabra-like spires		₩₩Х	Stately 6-9" flowers open slowly from the top down in July-Aug above dark green leaves; medium to moist soil
Cup Plant Silphium perfoliatum	5-8′	2-3′	<i>╬</i> ₩	Yellow		WAB	Stately plant with large, opposite leaves that form cup around a square stem; showy flowers in July and August
Cylindrical blazingstar <i>Liatris cylindracea</i>	12-18"	10"	萘	Pink/purplish - pink		٧	Prefers poor soil and dry conditions but can tolerate loamy soils if well drained. Excellent drought tolerance. Doesn't compete well with aggressive, taller plants.
False Sunflower Heliopsis helianthoides	4-6′	2'	禁業	Bright Yellow		W4 6×	Abundant blooms like miniature sunflowers produced in abundance in July-Sept; prefers well- drained soil
Flowering Spurge Euphorbia corollata	3′						Grows in most soil types if well drained. Blooms from June – September, drought tolerant; difficult to transplant once established.
Foxglove Beardtongue <i>Penstemon digitalis</i>	2'	1'	<b>柒謙</b>	White tubular, tinged with reddish - pink	Maroon	W4 6×	Trumpet-shaped flower spikes in June held aloft over dark green foliage; plant adaptable to all soil types, but best in full sun with average moisture; adds early-season color to prairie garden
Golden Alexanders Zizia aurea	1-3'	1-2'	禁業	Flat-topped Yellow		W4 6%	Flowers in mid-to late spring; attractive purple- bronze seed heads; dry to moist soils

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Golden Aster Chrysopsis camporum	1-3"	1-2"	**	Golden Yellow		¥	Prefers medium to dry, well-drained soils; showy, abundant blooms July to Sept. with 1-inch flowers
Gray-Headed (Yellow) Coneflower <i>Ratibida pinnata</i>	2-5′	1-2'	<b>**</b>	Yellow petals around brown- gray center		<b>₩</b> ★ & ∰×	Blooms in profusion all summer; flowers with aromatic seed heads when crushed; very versatile
Hairy Beard Tongue <i>Penstemon</i> <i>hirsutus</i>	1-2'	1-2'	<b>柒谦</b>	Pale Purple tubes		¥	A small, wooly-stemmed plant with attractive trumpet-shaped flowers 1- inch long during June- July; prefers dry, well- drained soil
Heart-leaved Meadow Parsnip <i>Zizia aptera</i>	24" – 36"	24" – 36"		Bright Yellow			Prefers dry soil or moist well drained
Heath Aster Aster ericoides	1-3′	1-1.5′	<b>**</b>	White		WAX	Bushy frame covered by small blooms from Sept to Oct; dry to medium soils
Hoary Puccoon Lithospermum canescens	1-1.5′		**	Yellow-orange, tubular		<b>W</b> ×	Flowers from May to June; prefers dry, open woods, thickets, and glades; prefers warm sunny positions in a moderately fertile, light to medium, well-drained soil
Hoary Vervain Verbena stricta	2-3′	1-2'	37/6	Purple spikes		<b>₩</b> ★₩X	Upright plant with coarse, fuzzy foliage; widely adaptable in well-drained soil; drought tolerant; 3-inch branched flower spikes from June-Sept.
Horse Mint (Spotted Bee Balm) Monarda punctata	1-2'	1-2'	**	Cream to Lavender		WA	Fragrant flowers July- Sept., aromatic foliage; prefers dry soil; opposite leaves and square stem
Lance-leaf Coreopsis Coreopsis Ianceolata	1-2'	1-1.5′	33 to 18	Bright Yellow		WA	Blooms in June-July; dry to medium well-drained soils; drought tolerant; dead-head to encourage blooming

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Monkey Flower Mimulus ringens	1-3"	1-1.5′	<b>**</b>	Lilac-Purple		* 6	Snapdragon-like flowers in July and August; prefers wet soil and full sun
New England Aster Aster novae- angliae	3-6′	2-3'	柒濼	Deep Pink - purple		<b>₩∤ &amp; &amp; X</b>	Flowers in dense splash of fall color; pinch back in early summer to keep from getting stemmy; drops stem leaves, so plant behind other flowers to hide bare stems; medium to moist soil
Nodding Pink Onion <i>Allium</i> <i>cernuum</i>	12"	12"	<b>**</b>	Star-shaped Lavender-pink		₩ A ∰ GC	Flower balls nodding on foot-tall stems in July- August; clumps of grass- like leaves; avoid poorly drained soils
Obedient Plant Physostegia virginiana	2-4'	2-3′	蒜鎌	Pale Pink to Purple		WAB	Snapdragon-like flowers in spike at top of plant in Aug-Sept.; grows on riverbanks and damp thickets
Pale Beard Tongue Penstemon pallidus	1-2'	1-2'	<i>╬</i> ₩	White-lavender tubes		W	Trumpet-shaped white flowers are ¾ inch long and have lavender lines; prefers medium to dry well drained (sandy) soils
Pale Purple Coneflower <i>Echinacea pallida</i>	2-4′	1'	<b>柒</b> 兼	Light Rosy Lavender		<b>₩</b> 4 <del>※</del>	Large flowers with thin, drooping petals around a spiny orange-brown center in June-July; long- lived and tough; attractive seed heads; medium to dry soils
Prairie Alum Root Heuchera richardsonii	8-12"	12"	<b>柒</b> 谦	Green to brownish - red		WA	Best appreciated for rounded foliage with filigree edges and mounded habit; thrives in most settings; may need dividing every 3 years or so

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Prairie Blazing Star Liatris pycnostachya	3-5′	1′	柒洙	Rosy -lavender		₩ ↑ ♪ ※	Showy flower spikes bloom in AugSept.; thrives in light soil with adequate moisture
Prairie Cinquefoil Potentilla arguta	2′		禁嫌	White			Blooms June – September
Prairie Coreopsis Coreopsis palmata	18" – 30"	12" – 18"	<b>柒</b> 濼	Yellow		WA	Grows in poor soil; must have good drainage; Tolerates heat, humidity, and drought.
Prairie Dock Silphium terebinthinaceum	3-10′	1-3'	***	Yellow		<b>W</b> & %	Large, spade-like leaves reach to 3', with flowering stalks above; 2" flowers in mid- to late summer; great texture when planted with native grasses
Prairie Gentian Gentiana puberulenta	1-1/2′	1-1/2′	**	Violet blue			Blooms in fall & last for a month; showy flowers; dry to medium moisture; well-drained soils; tolerates drought.
Prairie Milkweed Asclepias sullivantii	2-3′	1-1.5′	**	Pink		W	Prefers wet-mesic to mesic soil conditions, can be competitive
Prairie Smoke Geum triflorum	6"	8"	***	Deep Rose-pink		WA	Flower clusters in May- June; followed by spectacular, long-lasting, feathery, silvery-pink seed heads; attractive, deeply cut leaves; grows in dry to medium soils
Purple Meadow Rue <i>Thalictrum</i> <i>dasycarpum</i>	3-6′	1'	**	White - cream		۵	A hardy perennial that has delicate flowers, purple stems, and blue-green foliage; prefers wet-mesic to mesic soil moisture
Purple Prairie Clover Petalostemum purpureum	1-2'	1'	**	Thimble-like heads with purple ring at base		WA	Prefers average to dry soils; drought-tolerant; protect from rabbits; flowers in mid-summer

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Queen of the Prairie <i>Filipendula</i> <i>rubra</i>	4-6′	2-3'	**	Deep pink fluffy plumes		₩⋞⋫₩≫	Flowers on strong stems from July-Aug.; bold plant forms a large, shrub-like mound with deeply cut leaves; prefers rich, moist soils
Rattlesnake Master Eryngium yuccifolium	3-4'	1 1/2′	374	Whitish-green spiny globes	Evergreen	₩ ※ ※	Long lance-like evergreen foliage with flowers held on long stalks in July- Aug.; prefers medium to dry well-drained soils; drought tolerant
Rosinweed Silphium integrifolium	2-6′	1 1/2′	37/6	Bright Yellow		WAX	Profuse, large, daisy-like flowers on tall stems in late July-Aug.; rough sandpapery textured, lance-shaped foliage; well-drained soil
Rough Blazing Star <i>Liatris aspera</i>	2-3'	1'	禁業	Bright Purple- pink bottlebrush		₩⋞₩⋉	Low growing most of the year, flowers on stalks blaze into color July-Sept.; well-drained soil
Royal Catchfly Silene regia	2-4'	1 ½ -2′	<b>**</b>	Red - scarlet		WA	Incredibly vivid flowers July-Aug; dry to medium soils (best in rich soil); excellent drainage is essential; attracts hummingbirds
Sand Prairie Phlox Phlox pilosa	1-2′	1/2 -1′	<b>柒</b> 赚	Pink		W×	Suitable ground cover or rock garden perennial; tolerates wide range of soil moisture conditions, from wet-mesic to dry

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Showy Goldenrod Solidago speciosa	1-3'	2-3'	<b>柒谦</b>	Yellow		₩**	A beautiful species with conical spires of bright gold flowers; forms a beautiful clump when planted in full sun and well-drained soils; prefers mesic to dry soil conditions; remove spent flower clusters to encourage additional bloom; provides good color and contrast in late summer for the perennial border
Silky Aster Aster sericeus	1-2'	1′	業	Purple-violet petals with yellow center		WAX	Blooms Sept-Oct; leaves with fine silky hairs; drought tolerant; well- drained soils mandatory (too much water kills this plant)
Sky Blue Aster Aster azureus	2-3'	1'	<i>╬</i> ₩	Brilliant Blue		wa×	Dainty, daisy like flowers in Sept-early Oct.; deep greenish-blue arrow shaped leaves; dry to medium soils
Slender Mountain Mint <i>Pycnanthemum</i> <i>tenuifolium</i>	1-3′	1-1.5′	<b>柒</b> 鎌	White		<b>W</b> ×	Stems and leaves are fragrant when crushed; prefers wet-mesic to mesic soil moisture
Smooth Blue Aster Aster laevis	2-4′	1'	業	Pale Blue- lavender		<b>W</b> A×	Numerous, yellow- centered flowers in Aug Sept.; tolerates moist to dry soils of average to poor fertility
Spiderwort (Ohio Spiderwort) <i>Tradescantia</i> <i>ohiensis</i>	2-4'	1.5′	柒濼	Deep Blue, 3- petaled		W&	Clustered flowers from July-Sept.; unique, grass- like foliage; cut back after flowering to produce neater clumps; prefers moist, organic soil; clump forming
Starry Campion Silene stellata	2-3′	2′	禁禁	White		*	Prefers dry, well-drained soils; blooms July-October

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Stiff Goldenrod Solidago rigida	1.5′	1.5′	柒業	Flat-topped yellow		₩₩₩	Flowers in late summer; gray-green leaves largest at bottom of stem; dry to moist soils
Swamp Milkweed Asclepias incarnata	4-5'	2-3′	The state of the s	Rose-pink hourglass		₩⋞७骤≫	Flowers in July-Aug.; milky sap; medium to wet soils; interesting seed pods; fragrant blooms
Sweet Black-eyed Susan Rudbeckia subtomentosa	2-3'	2′	<b>柒</b> 鎌	Yellow with brown		₩⋞७₩	Flowers in late July and August; attractive seed heads in winter; best in well-drained, organic soil
Turk's Cap Lily Lilium michiganense	2-5′	1-2'	** <b>*</b>	Red - yellow with brown spots		×	Whorled leaves; flowers in June-July with petals arching up and back; attracts hummingbirds; prefers medium wet to wet conditions
Violet Wood Sorrel Oxalis violacea	1/2 - 1′	1/2 - 3/4'	<b>☆</b> 鎌	Lavender		<b>1</b>	Small but attractive; three-parted leaves are like upside-down hearts, greenish - purple on top and purple below; bloom in late spring and may bloom again in fall
White (Upland) Aster Aster ptarmicoides	1-2'	1'	<b>**</b>	White		<b>₩</b>	Small blossoms cover the compact form from July-Sept.; attractive silvery seed heads; dry soils
White False Indigo Baptisia leucantha (B. lactea)	3-5′	3′	**	White		₩4睾	Flowers in June; attractive blue-green foliage; forms a dense, bush-like mound; interesting seed pods; prefers deep, porous soil that is well-drained
Wild Bergamot Monarda fistulosa	2-3′	2'	<b>柒謙</b>	Lavender		₩4器	Flowers in June-Aug; needs air movement to avoid mildew on leaves; damp to dry, clay to sand soils; attracts hummingbirds

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Wild Golden Glow Rudbeckia laciniata	3-7′	2-3'	禁業	Lemon-yellow		₩ A & ∰ GC	Fluffy double flowers in July; finely cut foliage and a clump forming habit
Wild Hyacinth Camassia scilloides	1-2'	1'	<b>**</b>	Light - blue/ white			Top-dense star-like clusters of flowers during spring (May-June), then goes dormant; prefers wet-mesic to dry soils; slow-growing, transplant during fall
Wild Petunia Ruellia humilis	10"	1'	<b>※</b> *	Lavender		WA	Trumpet-shaped flowers on trailing stems in June-Aug. prefers moist, well-drained soils but will tolerate dry soils; excellent for rock gardens; breaks dormancy late
Wild Quinine Parthenium integrifolium	3-4'	1-2'	3 <sup>3</sup> Mer	Green-white clusters		<b>₩</b> ★₩	Odd button-like flowers in flat-top clusters from July-Sept; good form, excellent foliage; medium to dry soil
Wild Stonecrop Sedum ternatum	8"	8"	**	White, star-like		₩A GC	Succulent, thick, fleshy leaves; flowers in spring; garden soils (not too dry); stems creep to slowly form groundcover
Worled Milkweed Asclepias verticillata	1'-2'		禁業	White, green		w	Prefers sand/loam soil; blooms June – August

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Yellow Star Grass Hypoxis hirsuta	1/2 - 1′		<b>柒</b> 滌	Brilliant Yellow			Grass-like olive-green leaves; interesting texture plant; medium or dry soils; can form loose colonies but not particularly aggressive; star-shaped flowers
Ferns							
Christmas Fern Polystichum acrostichoides	1-3′	2-3'	<b>**</b>		Evergreen	<b>&amp; ±</b>	Lustrous, arching, deep green fronds extend from a central crown; silvery "fiddleheads" in spring, contrast nicely with the evergreen foliage; used in floral arrangements; adaptable but prefers moist, organic soil
Cinnamon Fern Osmunda cinnamomea	2-4'	2-3'	<b>**</b>			<b>♣</b>	Large, slightly arching, deep green foliage grown in vase shaped clusters; emerges early in spring; slender fertile fronds are cinnamon in color and disappear by midsummer; slowly spreading and easily grown; thrives in wet, organic soils
Interrupted Fern Osmunda claytoniana	2-4'	1-2'	<b>柒</b> **			<b>±</b>	Light green foliage is erect, arching from center and emerges in early spring; spores are clustered in the middle of fertile fronds, giving an interrupted look; tolerates drier sites; very long-lived but slow to establish
Lady Fern Athyrium felix- femina	1'	1'	*			<b>±</b>	Leathery, bright green, wavy-cut fronds; Evergreen; prefers a damp to slightly boggy, rich, organic soil; great for massing

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Leather Wood Fern Dryopteris marginalis	1-2'	1-2'	<b>**</b>			<b>+</b>	Slightly arching fronds unfurl yellow-green and darken to bluish - green by summer and rise from a broad, upright crown; prefers moist, organic soils, but can tolerate some dryness once established; good in rock gardens
Maidenhair Fern Adiantum pedatum	1-2'	1-1.5′	*			÷	Fan-shaped fronds with green leaflets on shiny, black stalks; prefers moist, rich soil in a cool and humid area
Royal Fern <i>Osmunda regalis</i>	2-5'	3-5′	<b>柒</b> **		Golden-yellow	<b>±</b>	Large fronds with widely spaced leaflets; fronds unfold red, mature to deep sea-green; spores appear in clusters on the frond tips; needs constantly moist, acid, organic soil; good massed or as a specimen plant
Sensitive Fern Onoclea sensibilis	1-2'	2′	<b>**</b>			<b>\$</b> % <b>•</b>	Light summer foliage: wet to mesic soils preferred
Woodland Gra	asses						
Bottlebrush Grass Hystrix patula	3-5'	1-2'	*	Green/ Tan		WAST	Showy seed heads resemble bottlebrushes; grows in small clumps on well-drained soil; can grow under trees where most turf grass fails to thrive; clump forming
Common Burr Sedge <i>Carex grayii</i>	2'	1'	*			W4 6 • ×	Unique clustered fruits resembling spiked clubs rise above the light green, clump-forming foliage; thrives near water; dried fruit is stunning in arrangements

Plant Name	Height	Spread	Light	Flower	Fall Color	<b>Special Uses</b>	Cultural Information
Common Oak Sedge Carex pensylvanica	1-2'	8"	*			WAR	Soft low tufts of slender foliage; reddish-brown flowers appear just above the foliage in April to mid- May
Curly-styled Wood Sedge <i>Carex rosea</i>	1-2′	1′	*			₩# & <del>T</del> GC	Delicate pale-green leaves; relaxed stems and elongated seed beaks
Nodding Fescue Festuca obtusa	1-2′	1-2'	<b>*</b>		Tan	WAST	Refined, nodding, graceful, long-stemmed spikelet; prefers moist to dry soils
Palm Sedge Carex muskingumensis	1-3′	1′	*			★ <b>&amp;</b>	Foliage resembles palm fronds; leaves radiate from the stem, giving it a unique, tropical appearance
Silky Wild Rye Elymus villosus	1-3′	2′	<b>**</b>	Green/ Tan	Tan	462	Silky soft leaves; wheat- like flower stalks; prefers moist soil
Straight-styled Wood Sedge Carex radiata	1′	1′	*			₩Æ GC	Graceful fountain of bright green, extremely fine foliage; outstanding as a mass planting; fine textured mound
Woodland Brome Bromus purgans (B. pubescens)	1-3′	1′	*			WAR	Gently arching spikes; blooms in mid-summer; dry to moist soils
Wood Reed Grass Cinna arundinacea	3-5′	2-3′	**			<b>+</b> 6	Blooms August-September
Woodland For	rbs						
Bellwort <i>Uvularia</i> <i>grandiflora</i>	12"	6-12"	<b>**</b>	Pendulous, Yellow		<b>*</b> •	Flowers hang on wiry, arching stems in May to June; drooping foliage; prefers moist soil rich in organic matter; best grown in mass; spring ephemeral

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Black Cohosh Actaea racemosa	4-6′	2-4′	<b>**</b>	White		<b>±</b>	Numerous small, fragrant flowers occur in fluffy spires at the end of stalks; blooms in June and July
Bloodroot Sanguinaria canadensis	6-10"	6"	<b>学業</b>	White		<b>±</b>	Spring ephemeral with 2- inch-wide flowers with yellow centers in March- May; performs best in rich woods, light and medium soils; uniquely shaped leaves
Blue Cohosh Caulophyllum thalictroides	1-3'	1'	*	Greenish - yellow		WŽ	Bright blue berries appear in August after inconspicuous flowers in May; constant moisture is necessary
Blue Phlox Phlox divaricata	1′	10"	<b>*</b>	Blue		₩ <b>4</b> •	Fragrant, loose flower clusters in late April-June; dark-green semi- evergreen foliage; prefers deep, rich, moist, acid soil
Blue-stemmed Goldenrod Solidago caesia	1-3′	1-2'	<b>**</b>	Yellow		₩ <b>৵</b> •×	Clusters of tiny yellow flowers on graceful arching stem in late August-September makes an airy mass of gold; great for late season color in drab shady areas; best in light to moderate shade
Early Meadow Rue Thalictrum dioicum	1-3′	1-2'	<b>**</b>	Greenish-white & Gold		<b>+</b>	One of the first spring wildflowers; covered in dainty flowers suspended above lacy blue-green foliage; prefers wet-mesic to mesic soil moisture conditions; serves as excellent focal point; groups of three to five create stunning backdrop
Elm-leaved Goldenrod <i>Solidago ulmifolia</i>	1-3′	2-4′	<b>ử</b> ₩	Yellow		W.	Blooms from July through October

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Feathery Solomons Plume Smilacina racemosum	1'-3'	1 – 2′	<b>**</b>	White			Blooms in spring, good nectar source for bumblebees. Clusters of berries in fall consumed by wildlife.
Jack-In-Pulpit Arisaema triphyllum	1-2'	1'	**	Greenish purple, hood-shaped		本条本	Distinctive three-lobed leaves on stalks; flowers in May; bright red berries in autumn; prefers moist, acid rich soil rich in organic matter
Jacob's Ladder Polemonium reptans	1'	1'	**	Light Blue		WAT	Flowers in loose clusters in spring; pairs of leaves form a ladder effect; moist, well-drained soil; spreading
Large White Trillium <i>Trillium</i> <i>grandiflorum</i>	1'	1'	<b>**</b>	Showy white		WŦ	Very distinctive wildflower; very large 3- petaled flowers from April- June; moist, organic soil; spring ephemeral
May Apple Podophyllum peltatum	1-2'	1'	*	Single white		•	1-2 very large, umbrella- like leaves with deeply cut lobes attached to one stem; flowers in May; small apple-like fruit under leaves in late June
Northern Bedstraw Galium boreale	2′		禁禁	White			Medium-dry to medium- moist soils. Blooms June- July
Purple Joe Pye Weed <i>Eupatorium</i> <i>purpureum</i>	5-7′	2-3′	禁禁	Massive domes of smoky - pink		WAS	Widely spaced, coarse leaves; large 12-inch flower heads; moisture- loving; clump-forming
Red Trillium Trillium recurvatum	1′	0.5′	*	Dark Red		•	Three mottled, distinct, short-stalked leaves; single dark red, stalkless flower April-June

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Round-Lobed Liverleaf <i>Hepatica</i> <i>americana</i>	6"	6"	<b>**</b>	Blue, White or Pink		•	Flowers in March-May; earliest flowers of spring; flowers appear before new leaves; older 3-lobed leaves persist through winter turning purplish
Sharp-lobed Liverleaf <i>Hepatica acutiloba</i>	6"	6"	<b>**</b>	Blue, white or pink		÷	Flowers in March-May; earliest flowers of spring; flowers appear before new leaves; older 3-lobed leaves persist through winter turning purplish
Shooting Star Dodecatheon meadia	1-1.5′	6-12"	<b>柒業</b>	Pink - white		•	Fragrant dainty blooms from mid-April to June; flowers on stalks; petals have backward-bent look and hang pendulously toward ground; medium soils
Short's Aster Aster shortii	1-3'		<b>**</b>	Blue		W÷×	Produces a cloud of lavender-blue flowers in September and early October
Side –Flowering (Calico) Aster <i>Aster lateriflorus</i>	2-3′	2-3'	**	Dainty White with Rosy centers		WAST	Flowers in Aug-Oct arranged on one side of stem as foliage turns purple; open growth form; medium soils
(Great) Solomon's Seal Polygonatum canaliculatum (biflorum)	1-2'		<b>**</b>	Whitish - green		÷	Tiny, flowers hang tassel like in June; blue berries in fall; prefers humus-rich soil
Toad Trillium Trillium sessile	6"	6"	*	Maroon, purplish or greenish - yellow		WŤ	Flowers in May; mottled leaves
Toothwort Dentaria laciniata	1′		柒	White to light Pink		<b>1</b>	Spring ephemeral: flowers appear March-May; white to light pink, 4-petal flowers stand above deeply toothed leaves with narrow leaflets.



Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Trout Lily (early)  Erythronium  americanum	4"	6"	*	Yellow		<b>£</b>	Tulip-like gray-green and purple-mottled leaves; forms solid groundcover; rich, moist, well-drained soils; spring ephemeral; space 6" apart; provide 2-inch layer of shredded leaf mulch over winter
Virginia Bluebells Mertensia virginica	1-2'	1'	<b>柒</b> 赚	Bright Blue		₩Æ	Pink buds open to blue flower bells in April-May; prefers moist organic soil; plant goes dormant; foliage disappears soon after flowering
Virginia Waterleaf Hydrophyllum virginianum	1′	1′	*	Pale lavender		•	Pale green, deeply lobed, (variegated like water spots) leaflets; flower clusters bloom early May to mid-June
Waxy Meadow Rue Thalictrum revolutum	3-7′		<b>※</b> *	Whitish to Green			Stout reddish-green stem; prefers medium to slightly dry conditions and typical green soils; height depends on soil moisture and fertility; airy appearance; blooms late spring to early summer
Wild Columbine Aquilegia canadensis	1-2'	1'	<b>柒謙</b>	Red/ Yellow		WAST	Two-tone yellow and red flowers appear in May-June; attracts hummingbirds; airy lobed, gray-green foliage; performs best in well-drained soil with organic matter
Wild Geranium Geranium maculatum	1′	1'	<i>*</i> **	Pale-deep Lavender-pink		<b>\$ ±</b>	Clusters of flowers held above deeply cut deep green foliage in May-June; prefers slightly acidic, moist, humus-rich soil

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Wild Ginger Asarum canadense	6"	colonies	*	Greenish to purplish - brown		<b>⊕</b> GC	Large heart-shaped leaves; flowers in April are hidden by the foliage; prefers moist, highly organic, slightly acid soil; excellent ground cover for shade
Wild Strawberry Fragaria virginiana	.25 – .50"		**	White		WA	Prefers sandy/Loam soil; Berries appear April – June
Woodland Sunflower <i>Helianthus</i> <i>divaricatus</i>	2'	3-5′	<b>☆</b> 鎌	Bright Yellow		WAST	Daisy-like blooms in late summer; moist to dry soils; competitive
Yellow Violet Viola pubescens	V <sub>2</sub> - 1 V <sub>2</sub> ′		*	Bright Yellow		W	Prefers medium loamy soils rich with organic matter; 3/4-inch flowers in mid to late spring; flowers have dulled purple veins
Zig-zag Goldenrod Solidago flexicaulis	1-3'	1-3'	<b>**</b>	Yellow		₩♣% GC	Brilliant yellow flowers in August to October; attractive, finely serrated leaves; great plant for color and interest in late fall woodland
Woody Vines							
Climbing bittersweet Celastrus scandens	20-30′	3-6′	<b>※</b> *	White, yellow		<b>★</b> ※	Prefers average soils with regular moisture in full sun but will tolerate drought. Generally, best not to grow up small trees or through shrubs. Best known for its showy red berries that last well into winter. Berries are poisonous to humans, but birds like them.

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Virgin's Bower Clematis virginiana	12-20′	3-6′	柒濼	White			Fragrant flowers bloom August – October; twines about fences and adjacent vegetation. Rapid grower. Interesting puffy seed heads. Prefers moist to mesic fertile soils. Generally best to not grow up small trees or through shrubs. Can spread aggressively.
Rain Garden							
Blue Flag Iris Iris virginica	1-2.5′	12"	<i>☆</i> ☀	Purple - blue		<b>* 6</b>	Flowers in June-July; blooms have distinctive yellow patch; prefers wet soils, though adaptable to moist garden soils
Brown Fox Sedge Carex vulpinoidea	1-2'	1-2'	柒濼	Green - brown		WAB	Wet soils to shaded moist ground preferred; excellent plant for rain garden; fine-leafed, mound forming foliage; seed heads form in May- June
Cardinal Flower Lobelia cardinalis	2-5′	1/2′	柒濼	Brilliant Red		<b>46</b> %	Blooms July-early Sept.; prefers moist to wet soils; dazzling tall red wands attract hummingbirds; short-lived – may require replanting every few years but well worth it
Great blue lobelia Lobelia siphilitica	1-3′	0.5-1'	柒濼	Blue - white		& W	Elongated clusters of snapdragon-like flowers (blue with white markings) on an upright leafy stem. Blooms from July to October. Best in wet to medium soils.
Marsh Blazing Star Liatris spicata	2 – 5′		**	Purple			Prefers moist conditions and sandy loam. Blooms July - September

Plant Name	Height	Spread	Light	Flower	Fall Color	Special Uses	Cultural Information
Marsh Marigold Caltha palustris	1-2'	2'	<b>**</b>	Bright Gold		۵	Beautiful 1-inch flowers in April; waxy round foliage attractive throughout spring; prefers wet soil; excellent for water garden
Meadow Anemone Anemone canadensis	1-2'	2 – 2.5′	**	White			Prefers well-drained soils; blooms April - June
Porcupine Sedge Carex hystericina	1-3′	2′	**	Green		<b>b</b>	Attractive bottlebrush type seed heads in spring (May-June); prefers wet ground, forms mounds
Sneezeweed Helenium autumnale	3-5′	2′	柒缣	Yellow		W64	Flowers from mid-summer to mid-fall with abundant daisy-like petals that are "toothed"; excellent in damp to wet soil but also does well in good garden soil
Turtlehead Chelone glabra	2-3′	1′	*	Creamy white		WAB	Flowers resembling snapdragons are borne on dense spikes; prefers a humus-rich soil